

A.N.C.I. Servizi S.r.l.

Sede legale e amministrativa
20149 MILANO
Via Monte Rosa, 21
Tel. 02.438291
Fax 02. 48005833
Cap. Soc.: € 10.400 i.v.
C.F./P.I.: 07199040150
Reg. Imprese n° 229059
Trib. di Milano
R.E.A. n° 1147818



CIMAC
Centro Italiano
Materiali di Applicazione
Calzaturiera



PRD N° 0171 B

Membro degli Accordi di Mutuo Riconoscimento
EA, IAF e ILAC

Signatory of EA, IAF and ILAC
Mutual Recognition Agreements

Sede operativa: 27029 VIGEVANO (PV) - C.so G. Brodolini, 19 - Tel. 0381.84722 - Fax 0381.73393 - E-mail: info@cimaonline.com - Internet: http://www.cimaonline.com

According to the EEC instructions 89/686 dated 21st of December 1989, concerning the standardisation of legislation of all member countries with regard to individual protection systems and the relative legislative decree dated 4th of December 1992, N° 475,

A.N.C.I. Servizi s.r.l. a socio unico - C.I.M.A.C. section
CENTRO ITALIANO MATERIALI DI APPLICAZIONE CALZATURIERA
Community Identification N° 0465

grants:

EC TYPE-EXAMINATION CERTIFICATE
MODULE B – EC TYPE-EXAMINATION
N° 0161/07765/03 Rev.1

for the following model of Personal Protective Equipment for II category:

Occupational clog art. "140"

Manufacturer (see notes):

MARESCA S.R.L.

VIA MENTANA 30/32/34
46030 CIZZOLO DI VIADANA MN
ITALIA

Vigevano, 25/01/2013

Responsible of EC certification of PPE
of the foot and leg
Pietro Biglia

Technical Responsible
Giuseppe Bellotti



1. Description of personal protective equipment:

PPE Category: second category

Type of PPE: occupational footwear for professional use according to EN ISO 20347:2012 standard

Design: clog


Classification: II - All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear

Size range: from 34 to 47 (French size)

Identification of last: 141

Manufacturing process: Injection

The footwear has not a removable insock





2. The tests and the examinations to verify the conformity of the article (in compliance with art. 10 of Directive 89/686/EEC – Decision 768/08/EC Module B) are performed applying the following harmonized standards and the Regulation 1907/2006/EC Annex XVII and subsequent amendments and integrations:

- EN ISO 20344:2011 – Personal protective equipment – Test methods for footwear.
- EN ISO 20347:2012 – Personal protective equipment – Occupational footwear.

3. The results of tests and examinations are contained in the following test reports:

C.I.M.A.C.	RP 2013\0061-3-RP-2	dated	25/01/2013
C.I.M.A.C.	RP 2013\0061-3-RP-3	dated	25/01/2013
C.I.M.A.C.	RP 2013\0061-3-RP-4	dated	25/01/2013

4. Requirements of the personal protective equipment:

The occupational clog art. "140" complies with:

the basic requirements for occupational footwear specified in table 2 of EN ISO 20347:2012 standard;

the additional requirements for special applications specified in table 16 of EN ISO 20347:2012 standard:

(Category O3–WR–CI–HI–HRO–FO)

- heel area open;
- antistatic properties (A);
- energy absorption of seat region (E);
- non-cleated outsole.

The shoe complies with what prescribed by EN ISO 20347:2012 standard concerning the slip-resistance of the outsole, "SRA" requirement.

The PVC components of the footwear comply with what prescribed by the Regulation 1907/2006/EC Annex XVII and subsequent amendments and integrations in relation to cadmium content.



5. Marking of the personal protective equipment:

The following information must be reported on the footwear in a durably and indelibly marked:

- the “**C**” mark
- date of manufacture (month and year)
- manufacturer's type designation: 140
- the number and year of the reference European standard: EN ISO 20347:2012 (see notes)
- the symbols appropriate to the protection provided: OB-A-E-SRA (see notes)
- manufacturer's identification mark: “MARESCA”
- size.

6. Notes:

- The manufacturer is the one assuming the responsibility of design and fabrication of a product included in the Directive, in order to throw it in the market.
- The marking for the number and year of the reference European standard and the symbols appropriate to the protection provided should be adjacent to one another.
- This EC Type-Examination Certificate must be kept by the manufacturer, in order to produce it, on request, for the control body or safety control administration.
- The content of this EC Type-Examination Certificate is referred to the tested personal protective equipment only.
- This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption “TRUE COPY”.
- The manufacturer should inform ANCI Servizi srl – Sezione CIMAC for any modification to the product, to the place/process of manufacturing and, if relevant (III category PPE), to the quality system if this compromises the conformity of the product to the essential requirements or other provisions of the Directive 89/686/EEC.
- The manufacturer should report all the complaints relating to the conformity of the certified product to the requirements of the reference harmonized standards and supply these reports on request of ANCI Servizi srl – Sezione CIMAC.
- The manufacturer should implement appropriate corrective actions when nonconforming product to the essential requirements of the EC certification are identified.